

# 全自动激光开袋机

## Automatic Laser Pocket Welting Machine

### J5

全球首创  
Pioneer



杰克股份官方微信





杰克股份官方抖音

400-8876-858  
www.chinajack.com

杰克科技股份有限公司  
浙江省台州市椒江区东海大道东段1008号  
电话 :0086-576-88177788 88177789  
传真 :0086-576-88177758

JACK TECHNOLOGY CO.,LTD  
No.1008, Donghai Road East, Jiaojiang District,  
Taizhou city, Zhejiang, China  
TEL:0086-576-88177788 88177789  
FAX:0086-576-88177758

July, 2024



### 8合1 8 in 1

切-烫-折-缝-套结  
加袋唇-加拉链-加衬布-加袋盖, 8合1,  
高效率, 省人工

Cutting-ironing-folding-sewing-bartacking  
pocket lip attach, zipper attach, pocket bag  
attach, pocket flap attach, 8 in 1, high effi-  
ciency, save labor.

### 不挑面料不挑款 Quick Mapping Functions

同一款机器可以缝制任何款式, 任何  
面料的明线口袋

Same machine can make any fabric & any  
top-stitch pocket style.

### 中压脚 Intermedia presser foot




机器标配中压脚, 保证缝制成品的品质

Machine with intermedia presser foot which  
guarantee the pocket's quality.

### 快速制图 Quick Mapping Functions

输入XY向坐标自动生成圆形、方形、  
三边行、异形等口袋图形, 最快3分  
钟完成。

Input X Y coordinates to automatically generate  
round, square, three-sided rows, shaped pocket  
graphics, the fastest 3 minutes to complete.



### 可调夹具 Adjustable jig

夹具尺寸可调, 仅需化20分钟更换几个  
零件便可实现口袋尺寸调整。

Jig is adjustable, only need 20 minutes and  
change several spare parts to change the  
pocket size.

### 4边折叠 4 sides folding system

4边折叠设计能保证缝制成品的品质. 减  
少口袋被扯破风险。

4 sides folding system guarantee the pocket's  
quality, reduce the risk of pocket side broken.

### 收料便捷 Easy remove the pocket

内压框自动收缩机构, 收料更便捷

Automatic shrinking mechanism for inter-  
nal press frame, remove the pocket easily.

### 开袋尺寸 Pocket welting range

此缝制尺寸能满足95%以上的市场需求。

This pocket welting range already can satisfy  
95% above's market demand.

# 换款换料不换机

ANY TOPSTITCH POCKET STYLE, ANY FABRIC, SAME MACHINE



单唇  
single lip



单唇+拉链  
single lip+zipper



单拉链  
zipper only



双唇  
double lips



双唇+拉链  
double lips+zipper



拉链+拉链帽  
zipper+ zipper cap



三边缝(上)  
3 sides (up)



双唇+拉链+拉链帽  
double lips+zipper+zipper cap



双唇+袋盖  
double lips +flap



三边缝(左)  
3 sides(left)



左右带花样  
left right with pattern



单唇+扣环  
single bone+loop



假口袋  
bound pocket



平行四边形  
parallelogram



特殊形状  
special shape



- 20秒1口袋(一次缝)  
20S one pocket(one time movement)
- 40秒1口袋(二次缝)  
40S one pocket( twice movements)
- 节省3-5人  
save 3-5 manpower
- 0.5年投资回报率(中国)  
ROI: 0.5 year in China



- 3000台机器在市场上工作  
3000 sets machine running in the market
- 8年的经验  
8 years expernience
- 35项专利  
35 patents

## 技术参数 / Technical Parameters

机头缝制速度	2500 转/分钟
缝纫机头	花样机
机针	MT*190「12#、14#、16#」
缝制线迹编程	操作屏输入方式
线迹编程储存容量	最多可储存花样999种
针距	1.0mm-3.5mm
压脚上升高度	60mm-80mm
布料切割	用100W激光头切割
激光功率	100W
送布驱动方式	台湾台达伺服电机驱动「750W」
电源	AC220V
气压、空压消费量	0.5Mpa「5kg/cm」、22dm/min
外包装尺寸	1.93m*1.43m*1.68m
重量	950KG
Head Sewing Speed	2500 rpm/min
Sewing Head	Programmable pattern machine
Machine Needle	MT*190"12#, 14#, 16#"
Sewing Stitch Programming	Screen Input Method
Line Programming Storage Capacity	Up to 999 patterns can be stored
Stitch Distance	1.0mm-3.5mm
Pressure Foot Rising Height	60mm-80mm
Fabric Cutting	Cutting with 100W laser head
Laser power	100W
Feeding Drive Mode	Taiwan Delta servo motor drive "750W
Power Supply	AC220V
Air Pressure And Air Pressure Consumption	0.5Mpa「5kg/cm」、22dm/min
Package Size(m)	1.93m*1.43m*1.68m
Weight	950KG