



14 years 4* World No. 1





杰克股份官方微信

杰克股份官方抖音

400-8876-858 www.chinajack.com

全自动激光开袋机

Fully Automatic Laser Pocket Welting Machine



杰克科技股份有限公司

浙江省台州市椒江区东海大道东段1008号 电话:0086-576-88177788 88177789 传真:0086-576-88177758

JACK TECHNOLOGY CO.,LTD

No.1008, Donghai Road East, Jiaojiang District, Taizhou city, Zhejiang, China TEL:0086-576-88177788 88177789 FAX:0086-576-88177758

换款换料不换机

ANY TOPSTITCH POCKET STYLE, ANY FABRIC, SAME MACHINE



单唇 single lip



单唇+拉链 single lip+zipper



单拉链 zipper only



双唇 double lips



双唇+拉链 double lips+zipper



拉链+拉链帽 zipper+ zipper cap



三边缝(上) 3 sides (up)



双唇+拉链+拉链帽 double lips+zipper+zipper cap



双唇+袋盖 double lips +flap



三边缝(左) 3 sides(left)



左右带花样 left right with pattern




单唇+扣环 single bone+loop



假口袋 bound pocket



平行四边形 parallelogram



特殊形状 special shape

产品特点 / Product Features



20秒1个口袋

20S one pocket

20秒1个口袋(一次缝)30秒1个口袋(二次缝)节省3-5人,0.5年投资回报率(中国)

20S one pocket(one time movement)
30S one pocket(twice movement)
save 3-5 manpower, ROI: 0.5 yearin China.



不挑面料不挑款

Any fabric, any top-stitch pocket style, same machine

同一款机器可以缝制任何款式,任何 面料的明线口袋

Same machine can make any fabric & any top-stitch pocket style.



8合1

8 in 1

切-烫-折-缝-套结 加袋唇-加拉链-加衬布-加袋盖,8合1, 高效率,省人工

Cutting-ironing-folding-sewing-bartacking pocket lip attach, zipper attach, pocket bag attach, pocket flap attach, 8 in 1, high efficiency, save lobor.




开袋尺寸

Pockt welting range

口袋长: 最短: 10cm, 最长: 21cm 口袋宽: 最窄: 1cm, 最宽: 4cm

Pocket length: min: 10cm, max: 21cm Pocket width: min: 1cm, max: 4cm



不挑面料任意缝

Any fabric sew easily

专利电子折刀系统: 折刀的升降由伺服马达控制, 面料的厚薄通过更改屏幕的数字来调整, 不挑面料任意缝

Patented electornical folding knife system: The rise and fall of the folding knife is controlled by the servo motor, then the thickness of the fabric is adjusted by changing the number of the screen. any fabric sew easily.




4边折叠

4 sides folding system

4边折叠设计能保证缝制成品的品质.减少口袋被扯破风险.

4 sides folding system guarantee the pocket's quality, reduce the risk of pocket side broken.




3分钟调整口袋尺寸

3 minutes change pocket size

夹具尺寸可调,仅需3分钟便可调整口 袋尺寸

Adjustable jig, only need 3 minutes to change the pocket size.



底线检测


Bobin thread detector

不空针缝纫, 无废片, 不断线, 不断针

detector regonize when boboin thread is not enough for one pocket, to avoid:

1) defective piece 2) thread broken 3) needle

1)defective piece 2) thread broken 3) needle broken



中压脚

Intermedia presser foot

机器标配中压脚,保证缝制成品的品质

Machine with intermidia presser foot which guarantee the pocket's quality.




双向立体合袋

Double direction presser

压框平行送料,全程不抬起,左台板升降合袋,压料更稳定,品质更稳定,品质更稳定,品质更稳定,

Press frame parallel feeding, do not lift in the whole process, left-table go up & down to press the pocket, finishing quality more stable & efficia higher.



超大空间

Big space

放料空间为45CM*35CM*29CM, 摆片更高效便捷.

Prepare space: 45CM*35CM*29CM, more efficia & convenience to prepare.



全球首创

Pioneer

4000台机器在市场上工作,9年的经验,35项专利.

4000 sets machine runningin the market, 9 years expensione, 35 patents.



Jack group (stock code: 603337) started in 1995, focusing and concentrating on the sewing equipment industry for 29 years. the world's largest R&D investment in the industry, fourteen major R&D centers, nearly 1000 people R&D team, 7 consecutive years ranking No. 1 in the world for industrial patents;

Jack is an international private high-tech enterprise specializing in the research, development, production and sales of industrial sewing machine. The A-share main board listed company, which has led the industry in sales for 12 consecutive years, and has achieved commercial success with more than 2 million garment factories in more than 150 countries around the world! Jack is the complete set of intelligent service providers, integrating clothing materials storage, intelligent cutting, hanging sewing, rear sorting, finished product storage, MES, WMS, APS and other software and hardware, helping global clothing enterprises to achieve intelligent manufacturing and digital management!

The largest listed company in the global sewing machine industry with the largest production and sales scale, and the only service provider in the global sewing industry that integrates pre-sewing, mid-sewing and post-sewing solutions for garment intelligent manufacturing;



技术参数 / Technical Parameters

机头缝制速度	3000 转/分钟
缝纫机头	花样机
机针	MT*190「9#、10#、11#、12#、14#、16#、18#」
缝制线迹编程	操作屏输入
线迹编程储存容量	最多可储存花样999种
针距	1.0mm-3.5mm
压脚上升高度	60mm-80mm
布料切割	用120W激光头切割
激光功率	120W
送布驱动方式	伺服电机驱动「750W」
电源	AC220V/50Hz
气压、空压消费量	0.5Mpa「5kg/cm」、22dm/min
外包装尺寸	1.93m*1.43m*1.68m
重量	950KG
断线感应	智能断线感应
Head Sewing Speed	3000 rpm/min
Sewing Head	Programmable pattern machine
Machine Needle	MT*190"9#、10#、11#、12#、14#、16#、18#"
Sewing Stitch Programming	By screen
Line Programming Storage Capacity	Up to 999 patterns can be stored
Stitch Distance	1.0mm-3.5mm
Pressure Foot Rising Height	60mm-80mm
Fabric Cutting	Cutting with 120W laser head
Laser power	120W
Feeding Drive Mode	Servo motor drive "750W
Power Supply	AC220V/50Hz
Air Pressure And Air Pressure Consumption	0.5Mpa「5kg/cm」、22dm/min
Package Size(m)	1.93m*1.43m*1.68m
Weight	950KG
Thread broken sensor	With